



Expertises Dynamiques
Machines et Structures



Accessories



Expertises Dynamiques
Machines et Structures



Table of Contents

MOUNTING HARDWARE	3
ADHESIVES	3
MOUNTING PADS.....	3
CABLES & CONNECTORS	4
CABLE FOR DATA COLLECTOR	4
JUNCTION BOXES	4



Mounting hardware

Adhesives

Ref: LOCT-330

- Loctite 330 – 1 Component
- Temp range: -50°C to 121°C
- Quantity: 50ml + activator



Ref: X60-1

- X60 – 2 Components
- Temp range: -240°C to 121°C
- Quantity: 0.1kg Comp A (powder) + 2 x 40ml



Ref: X60-2

- X60 – 2 Components
- Temp range: -240°C to 121°C
- Quantity: 0.4kg Comp A (powder) + 2 x 200ml

Mounting pads

Ref: MP-1032

- 10-32 UNF
- Diameter 13mm – Anodized Aluminum
- Quantity on request



Ref: MP-M6

- M6
- Diameter 18mm – Anodized Aluminum
- Quantity on request



Ref: MP-1/4-28 UNF

- 1/4-28 UNF
- Diameter 18mm – Anodized Aluminum
- Quantity on request



Cables & Connectors

Cable for data collector

Ref: MOV-1



- Connector type 1: 01dB Movipack compatible
- Connector type 2: 2 PIN MIL standard
- Length: on request

Others connectors are available on request.

Junction boxes

Ref: JB-CH1-4

- Number of input/output : 1 to 4
- Output connection: BNC
- Rating: IP66
- Polycarbonate



Ref: JB-CH1-4-D

- Number of input/output : 1 to 4
- Output connection: BNC
- Rating: IP66
- Aluminum





Expertises Dynamiques
Machines et Structures



Ref: JB-CH1-12-D

- Number of input/output : 1 to 12
- Output connection: BNC
- Rating: IP66
- Stainless steel

